




Click here to visit other RealCities sites

**New!** Browse and Search Ads from The Akron Beacon Journal



Click here for | [The Beacon Journal](#) |

- [Our Local Channels](#) >
- [News](#) >
- [Business](#) >
- [Sports](#) >
- [Entertainment](#) >
- [Living](#) >
- [C](#)

- [Help](#)
- [Contact Us](#)
- [Site Index](#)
- [Archives](#)
- [Place an Ad](#)
- [Newspaper](#)

**Search**



[» Search the Archives](#)

[Back to Home](#) >

Friday, May 02, 2003

[Shopping](#)

## News

[Find a Job](#)  
[an Apartment](#)  
[a Home,](#)

- News**
- [Breaking News](#)
- [Columnists](#)
- [Local](#)
- [Nation](#)
- [Photos](#)
- [Politics](#)
- [Weather](#)
- [Weird News](#)
- [World](#)

Posted on Thu, May. 01, 2003

### Scientists propose quake alert system

By ANDREW BRIDGES  
Associated Press

**LOS ANGELES** - Scientists working in Southern California have proposed a way of interpreting feeble tremors that herald a large earthquake, a step that could help in providing advance warning.

The system theoretically could give anywhere from seconds to tens of seconds of advance notice - enough time to send school children diving below their desks or to cut the flow of gas through pipelines vulnerable to rupture, scientists said. Details appear Friday in the journal Science.

Similar systems already are used in California and Japan on a smaller scale. The latest system would not predict or forecast earthquakes, but rather interpret the staggered way in which a quake's energy travels to the surface.

The first indication at the surface that a large earthquake has occurred is typically the jolt caused by the arrival of a fast-moving but low-energy wave called the primary or P wave.

It is followed by the more energetic but slower-moving S or shear wave that causes far more violent shaking.

Richard Allen of the University of Wisconsin-Madison and Hiroo Kanamori of the California Institute of Technology developed a way to determine the location, origin, time and - most importantly - magnitude of an earthquake from as little as four seconds of measurements of the P wave. The system would rely on seismic instruments already deployed across the greater Los Angeles region.

"If we can detect this P wave and use the information contained in it to estimate the hazard associated with an earthquake, then there is the potential to issue a warning before any significant ground motion



#### BREAK

Updated F  
2003

- [» Key hea  
Oklahor  
bombin  
Terry Ni  
PM EDT](#)
- [» China S.  
Acciden  
10:37 PM](#)
- [» Democr  
Helps V  
- 10:28 PM](#)
- [» U.S. Tro  
in Afgh  
PM EDT](#)
- [» South A  
Acciden  
PM EDT](#)

#### BEACON JOURNAL

Updated Saturday, May  
3, 2003

- [» Monday stories](#)
- [» Tuesday stories](#)
- [» Wednesday stories](#)
- [» Thursday stories](#)
- [» Friday stories](#)
- [» Saturday stories](#)
- [» Sunday stories](#)

#### Our Site Tools

##### Weather

Akron            ↑63 ↓43  
Cleveland      ↑57 ↓44  
Cincinnati     ↑68 ↓50

##### Local Events

##### Yellow Pages

##### Discussion Boards

[Maps & Directions](#)

**ARCHIVES**

Miss a story? Search our archives as far back as 1990.

[» Click here for archives](#)

reaches the surface," Allen said.

The amount of forewarning would depend on the distance of the sensors from an earthquake's epicenter.

If directly above the epicenter, there would be no time for a warning, since the S wave would arrive almost immediately after the P wave. At 37 miles from the epicenter, the system could give a magnitude estimate 16 seconds before the arrival of the S wave and the strong ground motion that accompanies it, Allen said.

Allen and Kanamori are now testing their system on the regular earthquakes in the Los Angeles region to determine if it can provide accurate magnitude estimates in real time. There are no immediate plans to develop an actual warning system.

The study may settle the question of whether earthquakes of different magnitudes begin in different ways, said Lucy Jones, scientist in charge of the U.S. Geological Survey office in Pasadena, Calif. The study suggests they do.

"There's debate whether quakes start differently or if a (magnitude-) 6 is just a 2 that doesn't stop," said Jones, who was not connected with the study.

**On the Web:**

**Science:** <http://www.sciencemag.org>



[email this](#)



[print this](#)

Spons

[Field Inst](#)  
Resistivity  
instrumen  
consultan


[Hunter 3](#)  
Geophysic  
Seismic,  
Gravity

[Are You](#)  
Free Em  
Prepared  
Guideboc  
Now!

[iprepare.](#)  
Emergen  
Rated "Be  
the Wall S

[Earthqua  
Prepared](#)  
Prepare fi  
Now. Coc  
get you re

[Enviropr  
Inc.](#)  
Geophysic  
Services  
Atlantic S



**PHOTOS C**



[» more ph](#)

**FR  
NATION/**

Updated 5  
3, 2003

» [Things  
prepari  
alert](#)

» [More s](#)

**Stocks**

Enter symbo

**Search Ye**

**SELECT A**

OR type one

Business nar

City

State

» [Get Maj](#)

» [White F](#)

» [Email S](#)

---

[News](#) | [Business](#) | [Sports](#) | [Entertainment](#) | [Living](#) | [Classifieds](#)

[Help](#) | [Contact Us](#) | [Site Index](#) | [Archives](#) | [Place an Ad](#) | [Newspaper Subscriptions](#)

[About Ohio.com](#) | [About Realcities Network](#) | [Terms of Use & Privacy Statement](#) | [About Knight Ridder](#) | [Copyr](#)