

## References

- \*Abt, D. L., K. M. Fischer, S. W. French, H. A. Ford, H. Yuan, and B. Romanowicz (2010), North American lithospheric discontinuity structure imaged by Ps and Sp receiver functions, *J. Geophys. Res.*, 115, B09301, doi:10.1029/2009JB006914.
- Atwater, T. (1970), Implications of Plate Tectonics for the Cenozoic Tectonic Evolution of Western North America, *Geol. Soc. Am. Bull.*, 81(12), 3513-3536.
- Backus, G. E. (1965), Possible Forms of Seismic Anisotropy of the Uppermost Mantle under Oceans, *J. Geophys. Res.*, 70(14), 3429-3439.
- Becker, T. W., V. Schulte-Pelkum, D. K. Blackman, J. B. Kellogg, and R. J. O'Connell (2006), Mantle flow under the western United States from shear wave splitting, *Earth Planet. Sci. Lett.*, 247(3-4), 235-251.
- Bedle, H., and S. van der Lee (2009), S velocity variations beneath North America, *J. Geophys. Res.*, 114.
- Bostock, M. G. (1998), Mantle stratigraphy and evolution of the Slave Province, *J. Geophys. Res.*, 103(B9), 21,183-121,200.
- Bostock, M. G., S. Rondenay, and J. Shragge (2001), Multiparameter two-dimensional inversion of scattered teleseismic body waves 1. Theory for oblique incidence, *J. Geophys. Res.*, 106(12), 30771-30782.
- Burchfiel, B. C., D. S. Cowan, and G. A. Davis (1992), Tectonic overview of the Cordilleran Orogen in the Western United States, in *The Cordilleran Orogen; Conterminous U.S.*, edited by B. C. Burchfiel, P. W. Lipman and M. L. Zoback, pp. 407-479, Geol. Soc. Am., United States, Boulder, Colorado.
- Burdick, S., R. D. van der Hilst, F. L. Vernon, V. Martynov, T. Cox, J. Eakins, T. Mulder, L. Astiz, and G. L. Pavlis (2009), Model Update December 2008: Upper Mantle Heterogeneity beneath North America from P-wave Travel Time Tomography with Global and USArray Transportable Array Data, *Seismol. Res. Lett.*, 80(4), 638-645.
- Burdick, S., R. D. van der Hilst, F. L. Vernon, V. Martynov, T. Cox, J. Eakins, G. H. Karasu, J. Tylell, L. Astiz, and G. L. Pavlis (2010), Model Update January 2010: Upper Mantle Heterogeneity beneath North America from Traveltime Tomography with Global and USArray Transportable Array Data, *Seis. Res. Lett.*, 81, 689-693, doi: 10.1785/gssrl.81.5.689.
- Capdeville, Y., E. Chaljub, J. P. Vilotte, and J. P. Montagner (2003), Coupling the spectral element method with a modal solution for elastic wave propagation in global earth models, *Geophys. J. Int.*, 152(1), 34-67.
- Carlson, R. W., D. G. Pearson, and D. E. James (2005), Physical, chemical, and chronological characteristics of continental mantle, *Rev. Geophys.*, 43, doi:10.1029/2004RG000156.
- Chen, C.-W., S. Rondenay, D. S. Weeraratne, and D. B. Snyder (2007), New constraints on the upper mantle structure of the Slave craton from Rayleigh wave inversion, *Geophys. Res. Lett.*, 34, L10301, doi:10.1029/2007GL029535.
- Chen, C.-W., S. Rondenay, R. L. Evans, and D. B. Snyder (2009), Geophysical Detection of Relict Metasomatism from an Archean (~3.5 Ga) Subduction Zone, *Science*, 326(5956), 1089-1091.
- Cooper, C. M., A. Lenardic, and L. Moresi (2004), The thermal structure of stable continental lithosphere within a dynamic mantle, *Earth Planet. Sci. Lett.*, 222(3-4), 807-817.
- Cupillard, P. (2008), Spectral Element Simulation of waveforms obtained by seismic noise correlation, Universite Paris 7, Paris.
- Dalton, C. A., G. Ekström, Dziewo, and A. M. ski (2008), The global attenuation structure of the upper mantle, *J. Geophys. Res.*, 113(B9), B09303, B09303, doi:10.1029/2007jb005429.
- Darbyshire, F. A., and S. Lebedev (2009), Rayleigh wave phase-velocity heterogeneity and multilayered azimuthal anisotropy of the Superior Craton, Ontario, *Geophys. J. Int.*, 176(1), 215-234.
- Deschamps, F., S. Lebedev, T. Meier, and J. Trampert (2008), Stratified seismic anisotropy reveals past and present deformation beneath the East-central United States, *Earth Planet. Sci. Lett.*, 274(3-4), 489-498.

- Earle, P. S., and P. M. Shearer (1994), Characterization of global seismograms using an automatic-picking algorithm, *Bull. Seismol. Soc. Am.*, *84*(2), 366-376.
- Evans, R. L., et al. (2011), Electrical lithosphere beneath the Kaapvaal craton, southern Africa, *J. Geophys. Res.*, *116*, B04105, doi:10.1029/2010JB007883.
- Faul, U. H., and I. Jackson (2005), The seismological signature of temperature and grain size variations in the upper mantle, *Earth Planet Sci. Lett.*, *234*(1-2), 119-134.
- Favier, N., and S. Chevrot (2003), Sensitivity kernels for shear wave splitting in transverse isotropic media, *Geophys. J. Int.*, *153*(1), 213-228.
- Fichtner, A., B. L. N. Kennett, H. Igel, and H.-P. Bunge (2008), Theoretical background for continental- and global-scale full-waveform inversion in the time-frequency domain, *Geophys. J. Int.*, *175*(2), 665-685.
- Fichtner, A., B. L. N. Kennett, H. Igel, and H.-P. Bunge (2009), Full seismic waveform tomography for upper-mantle structure in the Australasian region using adjoint methods, *Geophys. J. Int.*, *179*(3), 1703-1725.
- \*Fischer, K. M., H. A. Ford, D. L. Abt, C. A. Rychert (2010), The lithosphere-asthenosphere boundary, *Ann. Rev. Earth Planet. Sci.*, *38*, 551-575, doi:10.1146/annurev-earth-040809-152438.
- \*Ford, H. A., K. M. Fischer, D. L. Abt, Catherine A. Rychert, L. T. Elkins-Tanton (2010), The lithosphere-asthenosphere boundary and cratonic lithospheric layering beneath Australia from Sp wave imaging, *Earth Planet. Sci. Lett.*, *300*, 299-310, doi:10.1016/j.epsl.2010.10.007.
- \*French, S. W., K. M. Fischer, E. M. Syracuse, and M. E. Wysession (2009), Crustal structure beneath the Florida-to-Edmonton broadband seismometer array, *Geophys. Res. Lett.*, *36*(8), L08309, doi:10.1029/2008gl036331.
- Gaherty, J. (2004), A surface wave analysis of seismic anisotropy beneath eastern North America, *Geophys. J. Int.*, *158*, 1053-1066.
- Geissler, W. H., F. Sodoudi, and R. Kind (2010), Thickness of the central and eastern European lithosphere as seen by *S* receiver functions, *Geophys. J. Int.*, *181*, 604-634.
- Godey, S., F. Deschamps, J. Trampert, and R. Snieder (2004), Thermal and compositional anomalies beneath the North American continent, *J. Geophys. Res.*, *109*(B1), B01308, B01308, doi:10.1029/2002jb002263.
- Grand, S. P., R. D. Van der Hilst, and S. Widiyantoro (1997), Global seismic tomography: a snapshot of convection in the Earth, *GSA Today*, *7*(4), 1-7.
- Griffin, W. L., S. Y. O'Reilly, N. Abe, S. Aulbach, R. M. Davies, N. J. Pearson, B. J. Doyle, and K. Kivi (2003), The origin and evolution of Archean lithospheric mantle, *Precambrian Research*, *127*(1-3), 19-41.
- Griffin, W. L., S. Y. O'Reilly, B. J. Doyle, N. J. Pearson, H. Coopersmith, K. Kivi, V. Malkovets, and N. Pokhilenko (2004), Lithosphere mapping beneath the North American plate, *Lithos*, *77*(1-4), 873-922.
- Gripp, A. E., and R. G. Gordon (2002), Young tracks of hotspots and current plate velocities, *Geophys. J. Int.*, *150*(2), 321-361.
- Grove, T. L., N. Chatterjee, S. W. Parman, and E. Médard (2006), The influence of H<sub>2</sub>O on mantle wedge melting, *Earth Planet Sci. Lett.*, *249*(1-2), 74-89.
- Gung, Y., M. Panning, and B. Romanowicz (2003), Global anisotropy and the thickness of continents, *Nature*, *422*(6933), 707-711.
- Gung, Y., and B. Romanowicz (2004), *Q* tomography of the upper mantle using three-component long-period waveforms, *Geophys. J. Int.*, *157*(2), 813-830.
- Hacker, B. R., G. A. Abers, and S. M. Peacock (2003), Subduction factory 1. Theoretical mineralogy, densities, seismic wave speeds, and H<sub>2</sub>O contents, *J. Geophys. Res.*, *108*(B1), 2029, doi:10.1029/2001jb001127.
- Haggerty, S. E. (1999), A Diamond Trilogy: Superplumes, Supercontinents, and Supernovae, *Science*, *285*(5429), 851-860.
- Hammond, W., C., and E. Humphreys, D. (2000), Upper mantle seismic wave velocity; effects of realistic partial melt geometries, *J. Geophys. Res.*, *105*(5), 10975-10986.

- Hansen, S. E., A. J. Rodgers, S. Y. Schwartz, and A. M. S. Al-Amri (2007), Imaging ruptured lithosphere beneath the Red Sea and Arabian Peninsula, *Earth Planet. Sci. Lett.*, 259(3-4), 256-265.
- Hansen, S. E., A. A. Nyblade, J. Julià, P. H. G. M. Dirks, and R. J. Durrheim (2009), Upper-mantle low-velocity zone structure beneath the Kaapvaal craton from *S*-wave receiver functions, *Geophys. J. Int.*, 178(2), 1021-1027.
- Hellfrich, G. (2006), Extended-time multitaper frequency domain cross-correlation receiver-function estimation, *Bull. Seism. Soc. Amer.*, 96, 344-347.
- Hoffman, P. F. (1988), United Plates of America, The Birth of a Craton: Early Proterozoic Assembly and Growth of Laurentia, *Annu. Rev. Earth Planet. Sci.*, 16(1), 543-603.
- Hoffman, P. F. (1989), Precambrian geology and tectonic history of North America, in *The Geology of North America - An Overview*, edited by A. W. Bally and A. R. Palmer, pp. 447-512, Geology Society of America, Boulder, CO.
- Ito, T., and M. Simons (2011), Probing asthenospheric density, temperature, and elastic moduli below the western United States, *Science*, 332, 947-951.
- Jackson, I., U. H. Faul, J. D. F. Gerald, and S. J. S. Morris (2006), Contrasting viscoelastic behavior of melt-free and melt-bearing olivine: Implications for the nature of grain-boundary sliding, *Mater. Sci. Eng., A*, 442(1-2), 170-174.
- Jones, A. G., P. Lezaeta, I. J. Ferguson, A. D. Chave, R. L. Evans, X. Garcia, and J. Spratt (2003), The electrical structure of the Slave craton, *Lithos*, 71(2-4), 505-527.
- Jordan, T. H. (1978), Composition and development of the continental tectosphere, *Nature*, 274(5671), 544-548.
- Karato, S. (2003), Mapping water content in the upper mantle, in *Inside the Subduction Factory*, edited by J. M. Eiler, pp. 135-152, American Geophysical Union, Washington.
- Kennett, B. L. N. (1991), The removal of free surface interactions from three-component seismograms, *Geophys. J. Int.*, 104, 153-163.
- Kennett B. L. N., Engdahl E.R. and Buland R. (1995), Constraints on seismic velocities in the earth from travel times *Geophys. J. Int.*, 122, 108-124
- King, S. D. (2005), Archean cratons and mantle dynamics, *Earth Planet. Sci. Lett.*, 234(1-2), 1-14.
- King, S. D., and J. Ritsema (2000), African Hot Spot Volcanism: Small-Scale Convection in the Upper Mantle Beneath Cratons, *Science*, 290(5494), 1137-1140.
- Korenaga, J., and T. H. Jordan (2002), On the state of sublithospheric upper mantle beneath a supercontinent, *Geophys. J. Int.*, 149(1), 179-189.
- Kumar, P., X. Yuan, M. R. Kumar, R. Kind, X. Li, and R. K. Chadha (2007), The rapid drift of the Indian tectonic plate, *Nature*, 449(7164), 894-897.
- Lee, C.-T. A. (2003), Compositional variation of density and seismic velocities in natural peridotites at STP conditions: Implications for seismic imaging of compositional heterogeneities in the upper mantle, *J. Geophys. Res.*, 108(B9), 2441, doi:10.1029/2003jb002413.
- Lee, C. T. (2006), Geochemical/petrologic constraints on the origin of cratonic mantle, in *Archean Geodynamics and Environments*, edited by K. Benn, J. C. Mareschal and K. C. Condie, pp. 89-114, American Geophysical Union Monograph, Washington.
- Lee, C.-T. A., P. Luffi, and E. J. Chin (2011), Building and destroying continental mantle, *Annu. Rev. Earth Planet. Sci.*, 39, 59-90, 10.1146/annurev-earth-040610-133505.
- Lekic, V. (2009), Inferring the elastic structure of the mantle using the Spectral Element Method, Ph.D Thesis thesis, University of California, Berkeley, Berkeley.
- Lekic, V., M. Panning, and B. Romanowicz (2010), A simple method for improving crustal corrections in waveform tomography, *Geophys. J. Int.*, 182(1), 265-278.
- Lekic, V. and Romanowicz, B., (2011), Inferring upper-mantle structure by full waveform tomography with the spectral element method, *Geophys. J. Int.*, 185(2), 799-831, 10.1111/j.1365-246X.2011.04969.x.
- Lekic, V., S. W. French, and K. M. Fischer (2011), Dramatic lithospheric thinning beneath rifted regions of Southern California, *Science*, submitted.

- Lenardic, A., L. Moresi, and H. Mühlhaus (2000), The Role of Mobile Belts for the Longevity of Deep Cratonic Lithosphere: The Crumple Zone Model, *Geophys. Res. Lett.*, *27*, doi:10.1029/1999gl008410.
- Levander, A. (2003), USArray design implications for wavefield imaging in the lithosphere and upper mantle, *The Leading Edge*, *22*(3), 250-255.
- Levander, A., F. Niu, C.-T. A. Lee, and X. Cheng (2006), Imag(in)ing the continental lithosphere, *Tectonophysics*, *416*(1-4), 167-185.
- Levander, A., B. Schmandt, M. S. Miller, K. Liu, K. E. Karlstrom, R. S. Crowe, C.-T. A. Lee, and E. D. Humphreys (2011), Continuing Colorado plateau uplift by delamination-style convective lithospheric downwelling, *Nature*, *472*, 461-466, doi:10.1038/nature10001.
- Levin, V., and J. Park (2000), Shear zones in the Proterozoic lithosphere of the Arabian Shield and the nature of the Hales discontinuity, *Tectonophysics*, *323*(3-4), 131-148.
- Levin, V., W. Menke, and J. Park (1999), Shear wave splitting in the Appalachians and the Urals; a case for multilayered anisotropy, *J. Geophys. Res.*, *104*(8), 17,975-917,994.
- Li, A., D. W. Forsyth, and K. M. Fischer (2003), Shear velocity structure and azimuthal anisotropy beneath eastern North America from Rayleigh wave inversion, *J. Geophys. Res.*, *108*, doi:10.1029/2002JB002259.
- Li, A., D. Forsyth, and K. Fisher (2005), Rayleigh Wave Constraints on Shear-Wave Structure and Azimuthal Anisotropy Beneath the Colorado Rocky Mountains, in *The Rocky Mountain Region--An Evolving Lithosphere: Tectonics, Geochemistry, and Geophysics*, AGU Monograph, edited by K. K. and R. Keller, American Geophysical Union, Washington DC.
- Li, X.-D., and B. Romanowicz (1995), Comparison of global waveform inversions with and without considering cross-branch modal coupling, *Geophys. J. Int.*, *121*(3), 695-709.
- Li, X., and B. Romanowicz (1996), Global mantle shear velocity model developed using nonlinear asymptotic coupling theory, *J. Geophys. Res.*, *101*, 22245-22273.
- Li, X., X. Yuan, and R. Kind (2007), The lithosphere-asthenosphere boundary beneath the western United States, *Geophys. J. Int.*, *170*(2), 700-710.
- Ligorria, J., Pablo, and C. Ammon, J. (1999), Iterative deconvolution and receiver-function estimation, *Bull. Seismol. Soc. Am.*, *89*(5), 1395-1400.
- Mareschal, J. C., and C. Jaupart (2004), Variations of surface heat flow and lithospheric thermal structure beneath the North American craton, *Earth Planet. Sci. Lett.*, *223*(1-2), 65-77.
- Marone, F., and B. Romanowicz (2007), The depth distribution of azimuthal anisotropy in the continental upper mantle, *Nature*, *447*(7141), 198-201.
- Marone, F., Y. Gung, and B. Romanowicz (2007), Three-dimensional radial anisotropic structure of the North American upper mantle from inversion of surface waveform data, *Geophys. J. Int.*, *171*(1), 206-222.
- Mégnin, C., and B. Romanowicz (2000), The three-dimensional shear velocity structure of the mantle from the inversion of body, surface and higher-mode waveforms, *Geophys. J. Int.*, *143*(3), 709-728.
- Menke, W., and V. Levin (2003), The cross-convolution method for interpreting SKS splitting observations, with application to one and two-layer anisotropic earth models, *Geophys. J. Int.*, *154*(2), 379-392.
- Mercier, J. P., M. G. Bostock, P. Audet, J. B. Gaherty, E. J. Garnero, and J. Revenaugh (2008), The teleseismic signature of fossil subduction: Northwestern Canada, *J. Geophys. Res.*, *113*, doi:10.1029/2007JB005127.
- Mierdel, K., H. Keppler, J. R. Smyth, and F. Langenhorst (2007), Water Solubility in Aluminous Orthopyroxene and the Origin of Earth's Asthenosphere, *Science*, *315*(5810), 364-368.
- Miller, M. S., and A. Levander (2009), Lithospheric structure beneath the Colorado Plateau determined by receiver functions, *American Geophysical Union, Fall Meeting 2009, abstract #U51D-07*.
- Miller, M. S., and D. W. Eaton (2010), Formation of cratonic mantle keels by arc accretion: Evidence from S receiver functions, *Geophys. Res. Lett.*, *37*, L18305, doi:10.1029/2010GL044366.
- Mohsen, A., R. Kind, S. V. Sobolev, and M. Weber (2006), Thickness of the lithosphere east of the Dead Sea Transform, *Geophys. J. Int.*, *167*(2), 845-852.

- Montagner, J.-P., and H.-C. Nataf (1986), A Simple Method for Inverting the Azimuthal Anisotropy of Surface Waves, *J. Geophys. Res.*, *91*(B1), 511-520.
- Neal, S. L., and G. L. Pavlis (1999), Imaging P-to-S conversions with multichannel receiver functions, *Geophys. Res. Lett.*, *26*(16), 2581-2584.
- Neal, S. L., and G. L. Pavlis (2001), Imaging P-to-S conversions with broad-band seismic arrays using multichannel time-domain deconvolution, *Geophys. J. Int.*, *147*(1), 57-67.
- Nettles, M., and A. M. Dziewoński (2008), Radially anisotropic shear velocity structure of the upper mantle globally and beneath North America, *J. Geophys. Res.*, *113*, doi:10.1029/2006jb004819.
- Nicolas, A., and N. I. Christensen (1987), Formation of anisotropy in upper mantle peridotites - a review, in *Composition, Structure and Dynamics of the Lithosphere-Asthenosphere System (Geodynamics Series)*, edited by K. Fuchs and C. Froidevaux, pp. 111-123, AGU.
- O'Reilly, S. Y., and W. L. Griffin (2006), Imaging global chemical and thermal heterogeneity in the subcontinental lithospheric mantle with garnets and xenoliths: Geophysical implications, *Tectonophysics*, *416*(1-4), 289-309.
- Obrebski, M., S. Kiselev, L. Vinnik, and J.-P. Montagner (2010a), Anisotropic stratification beneath Africa from joint inversion of SKS and P receiver functions, *J. Geophys. Res.*, *115*, B09313, doi:10.1029/2009JB006923.
- Obrebski, M., Allen, R.M., Xue, M. & Hung, S.-H. (2010b), Slab-plume interaction beneath the Pacific Northwest, *Geophys. Res. Lett.*, *37*, L14305, doi:10.1029/2010GL043489.
- Obrebski, M., Allen, R.M., Pollitz, F. & Hung, S.-H. (2011), Lithosphere–asthenosphere interaction beneath the western United States from the joint inversion of body-wave traveltimes and surface-wave phase velocities, *Geophys. J. Int.*, *185*, 1003–1021, doi: 10.1111/j.1365-246X.2011.04990.x.
- Panning, M., and B. Romanowicz (2006), A three-dimensional radially anisotropic model of shear velocity in the whole mantle, *Geophys. J. Int.*, *167*(1), 361-379.
- Panning, M., V. Lekic, and B. Romanowicz (2010), The importance of crustal corrections in the development of a new global model of radial anisotropy, *Geophys. J. Int.*, *submitted*.
- Park, J., and V. Levin (2002), Seismic Anisotropy: Tracing Plate Dynamics in the Mantle, *Science*, *296*(5567), 485-489.
- Park, J., and V. Levin (2000), Receiver functions from multiple-taper spectral correlation estimates, *Bull. Seism. Soc. Am.*, *90*, 1507–1520.
- Pavlis, G. L. (2011), Three-dimensional wavefield imaging of data from the USArray: New constraints on the geometry of the Farallon slab, *Geosphere*, *7*, 785–801, doi:10.1130/GES00590.1.
- Percival, J.A., Sanborn-Barrie, M., Skulski, T., Stott, G.M., Helmstaedt, H. & White, D.J. (2006), Tectonic evolution of the western Superior Province from NATMAP and Lithoprobe studies, *Can. J. Earth Sci.*, *43*(7), doi:10.1139/E1106-1062.
- Perry, H. K. C., A. M. Forte, and D. W. S. Eaton (2003), Upper-mantle thermochemical structure below North America from seismic-geodynamic flow models, *Geophys. J. Int.*, *154*(2), 279-299.
- Poppeliers, C., and G. L. Pavlis (2003a), Three-dimensional, prestack, plane wave migration of teleseismic P-to-S converted phases: 1. Theory, *J. Geophys. Res.*, *108*(B2), 2112, doi:10.1029/2001jb000216.
- Poppeliers, C., and G. L. Pavlis (2003b), Three-dimensional, prestack, plane wave migration of teleseismic P-to-S converted phases: 2. Stacking multiple events, *J. Geophys. Res.*, *108*(B5), 2267, doi:10.1029/2001jb001583.
- Rau, C. J. and D. W. Forsyth (2011), Melt in the mantle beneath the amagmatic zone, southern Nevada, *Geology*, in press.
- Ren, Y., E. Stutzmann, R. van der Hilst, D., and J. Besse (2007), Understanding seismic heterogeneities in the lower mantle beneath the Americas from seismic tomography and plate tectonic history, *J. Geophys. Res.*, *112*(B01302), doi:10.1029/2005JB004154.
- \*Romanowicz, B. (2009), The Thickness of Tectonic Plates, *Science*, *324*(5926), 474-476.
- Romanowicz, B. A. (1979), Seismic structure of the upper mantle beneath the United States by three-dimensional inversion of body wave arrival times, *Geophys. J. Roy. Astron. Soc.*, *57*(2), 479-506.

- Romanowicz, B. A., M. P. Panning, Y. Gung, and Y. Capdeville (2008), On the computation of long period seismograms in a 3-D earth using normal mode based approximations, *Geophys. J. Int.*, 175(2), 520-536.
- Rondenay, S. (2009), Upper Mantle Imaging with Array Recordings of Converted and Scattered Teleseismic Waves, *Surv. Geophys.*, 30(4), 377-405.
- Rondenay, S., M. G. Bostock, and K. M. Fischer (2005), Multichannel inversion of scattered teleseismic body waves: practical considerations and applicability, in *Seismic Earth: Array Analysis of Broadband Seismograms*, edited by A. L. a. G. Nolet, pp. 187-204.
- Rudnick, R. L., and A. A. Nyblade (1999), The thickness and heat production of Archean lithosphere: constraints from xenolith thermobarometry and surface heat flow, in *Mantle Petrology: Field Observations and High Pressure Experimentation: A Tribute to Francis R. (Joe) Boyd*, edited by Y. Fei, C. M. Bertka and B. O. Mysen, pp. 3-12, The Geochemical Society, St. Louis, MO.
- Rychert, C. A., and P. M. Shearer (2009), A Global View of the Lithosphere-Asthenosphere Boundary, *Science*, 324(5926), 495-498.
- Rychert, C. A., K. M. Fischer, and S. Rondenay (2005), A sharp lithosphere-asthenosphere boundary imaged beneath eastern North America, *Nature*, 436(7050), 542-545.
- Rychert, C. A., S. Rondenay, and K. M. Fischer (2007), P-to-S and S-to-P imaging of a sharp lithosphere-asthenosphere boundary beneath eastern North America, *J. Geophys. Res.*, 112(B8), B08314, 10.1029/2006jb004619.
- Rychert, C.A. & Shearer, P.M. (2009), A Global View of the Lithosphere-Asthenosphere Boundary, *Science*, 324, 495-498, 10.1126/science.1169754.
- Saul, J., M. R. Kumar, and D. Sarkar (2000), Lithospheric and upper mantle structure of the Indian Shield, from teleseismic receiver functions, *Geophys. Res. Lett.*, 27(16), 2357-2360.
- Savage, B., and P. G. Silver (2008), Evidence for a compositional boundary within the lithospheric mantle beneath the Kalahari craton from S receiver functions, *Earth Planet. Sci. Lett.*, 272(3-4), 600-609.
- Schmandt, B., and E. Humphreys (2010), Complex subduction and small-scale convection revealed by body-wave tomography of the western United States upper mantle, *Earth Planet. Sci. Lett.*, *in press*.
- Schutt, D. L., and C. E. Lesher (2006), Effects of melt depletion on the density and seismic velocity of garnet and spinel lherzolite, *J. Geophys. Res.*, 111(B5), B05401, B05401, doi:10.1029/2003jb002950.
- Shapiro, S. S., B. H. Hager, and T. H. Jordan (1999), The continental tectosphere and Earth's long-wavelength gravity field, *Lithos*, 48(1-4), 135-152.
- Sheehan, A. F., P. M. Shearer, H. J. Gilbert, and K. G. Dueker (2000), Seismic migration processing of P-SV converted phases for mantle discontinuity structure beneath the Snake River Plain, western United States, *J. Geophys. Res.*, 105(B8), 19055-19065.
- Sieminski, A., H. Paulssen, J. Trampert, and J. Tromp (2008), Finite-Frequency SKS Splitting: Measurement and Sensitivity Kernels, *Bull. Seismol. Soc. Am.*, 98(4), 1797-1810.
- Sigloch, K., N. McQuarrie, and G. Nolet (2008), Two-stage subduction history under North America inferred from multiple-frequency tomography, *Nature Geosci*, 1(7), 458-462.
- Silver, P. G., and W. W. Chan (1991), Shear wave splitting and subcontinental mantle deformation, *J. Geophys. Res.*, 96(B10), 16,429-416,454.
- Silver, P. G., and W. E. Holt (2002), The mantle flow field beneath western North America, *Science*, 295(5557), 1054-1058.
- Sleep, N. H. (2003), Survival of Archean cratonal lithosphere, *J. Geophys. Res.*, 108, doi:10.1029/2001jb000169.
- Sleep, N. H. (2009), Stagnant lid convection and carbonate metasomatism of the deep continental lithosphere, *Geochem. Geophys. Geosyst.*, 10, doi:10.1029/2009gc002702.
- Snyder, D., and M. Bruneton (2007), Seismic anisotropy of the Slave craton, NW Canada, from joint interpretation of SKS and Rayleigh waves, *Geophys. J. Int.*, 169, 170-188, doi: 10.1111/j.1365-246X.2006.03287.x.

- Snyder, D. B. (2008), Stacked uppermost mantle layers within the Slave craton of NW Canada as defined by anisotropic seismic discontinuities, *Tectonics*, 27, doi:10.1029/2007TC002132.
- Stixrude, L., and C. Lithgow-Bertelloni (2005), Mineralogy and elasticity of the oceanic upper mantle: Origin of the low-velocity zone, *J. Geophys. Res.*, 110(B3), B03204, doi:10.1029/2004jb002965.
- Suess, M. P. and J. H. Shaw (2003), P-wave seismic velocity structure derived from sonic logs and industry reflection data in the Los Angeles basin, California. *J. Geophys. Res.*, 108, doi:10.1029/2001JB001628.
- Takei, Y., and B. K. Holtzman (2009a), Viscous constitutive relations of solid-liquid composites in terms of grain boundary contiguity: 1. Grain boundary diffusion control model, *J. Geophys. Res.*, 114(B6), B06205, doi:10.1029/2008jb005850.
- Takei, Y., and B. K. Holtzman (2009b), Viscous constitutive relations of solid-liquid composites in terms of grain boundary contiguity: 2. Compositional model for small melt fractions, *J. Geophys. Res.*, 114(B6), B06206, doi:10.1029/2008jb005851.
- Takei, Y., and B. K. Holtzman (2009c), Viscous constitutive relations of solid-liquid composites in terms of grain boundary contiguity: 3. Causes and consequences of viscous anisotropy, *J. Geophys. Res.*, 114(B6), B06207, doi:10.1029/2008jb005852.
- Tarantola, A. (1984), Inversion of seismic reflection data in the acoustic approximation, *Geophysics*, 49(8), 1259-1266.
- Thomas, W. A. (2006), Tectonic inheritance at a continental margin, *GSA Today*, 16(2), doi: 10.1130/1052-5173.
- Thybo, H., and E. Perchuc (1997), The Seismic 8° Discontinuity and Partial Melting in Continental Mantle, *Science*, 275(5306), 1626-1629.
- Thybo, H. (2006), The heterogeneous upper mantle low velocity zone, *Tectonophysics*, 416(1-4), 53-79.
- Tromp, J., C. Tape, and Q. Liu (2005), Seismic tomography, adjoint methods, time reversal and banana-doughnut kernels, *Geophys. J. Int.*, 160(1), 195-216.
- van der Hilst, R. D., S. Widiyantoro, and E. R. Engdahl (1997), Evidence for deep mantle circulation from global tomography, *Nature*, 386(6625), 578-584.
- van der Lee, S. (2002), High-resolution estimates of lithospheric thickness from Missouri to Massachusetts, USA, *Earth Planet. Sci. Lett.*, 203(1), 15-23.
- van der Lee, S., and G. Nolet (1997), Upper mantle S velocity structure of North America, *J. Geophys. Res.*, 102, 22815-22838.
- Vinnik, L. P., V. Farra, and B. Romanowicz (1989), Azimuthal anisotropy in the Earth from observations of SKS at GEOSCOPE and NARS broadband stations, *Bull. Seismo. Soc. Am.*, 79, 1542-1558.
- Walker, K. T., G. H. R. Bokelmann, S. L. Klemperer, G. Bock, and t. E. P. Tean (2007), Seismic Anisotropy in the asthenosphere beneath the Eifel region, Western Germany., in *Mantle plumes - A multidisciplinary approach*, edited by J. R. R. Ritter and U. R. Christensen, pp. 439-496, Springer-Verlag.
- Wang, Z., and F. A. Dahlen (1995), Spherical-Spline Parameterization of Three-Dimensional Earth Models, *Geophys. Res. Lett.*, 22.
- West, J. D., M. J. Fouch, J. B. Roth, and L. T. Elkins-Tanton (2009), Vertical mantle flow associated with a lithospheric drip beneath the Great Basin, *Nature Geosci*, 2(6), 439-444.
- Whitmeyer, S. J., and K. E. Karlstrom (2007), Tectonic model for the Proterozoic growth of North America, *Geosphere*, 3(4), 220-259.
- Wilson, D. C., D. A. Angus, J. F. Ni, and S. P. Grand (2006), Constraints on the interpretation of S-to-P receiver functions, *Geophys. J. Int.*, 165(3), 969-980.
- Wittlinger, G., and V. Farra (2007), Converted waves reveal a thick and layered tectosphere beneath the Kalahari super-craton, *Earth Planet Sci. Lett.*, 254(3-4), 404-415.
- Yuan, H., K. Dueker, and D. Schutt (2008), Testing five of the simplest upper mantle anisotropic velocity parameterizations using teleseismic S and SKS data from the Billings, Montana PASSCAL array., *J. Geophys. Res.*, 113(B03304), doi:10.1029/2007JB005092.
- \*Yuan, H. & Romanowicz, B., (2010a), Lithospheric layering in the North American craton, *Nature*, 466, 1063-1068, 10.1038/nature09332.

- \*Yuan, H. & Romanowicz, B., (2010b), Depth dependent azimuthal anisotropy in the western US upper mantle, *Earth Planet. Sci. Lett.*, 300, 385-394, DOI: 10.1016/j.epsl.2010.10.020.
- \*Yuan, H., Romanowicz, B., Fischer, K.M. & Abt, D., (2011), 3-D shear wave radially and azimuthally anisotropic velocity model of the North American upper mantle, *Geophys. J. Int.*, 184, 1237-1260, 10.1111/j.1365-246X.2010.04901.x.
- Yuan, X., R. Kind, L. Xueqing, and W. Rongjiang (2006), The S receiver functions: synthetics and data example, *Geophys. J. Int.*, 165(2), 555-564.
- Zhu, L., and H. Kanamori (2000), Moho depth variation in southern California from teleseismic receiver functions, *J. Geophys. Res.*, 105, 2969-2980.